

**LEMBAR
HASIL PENILAIAN SEJAWAT SEBIDANG ATAU PEER REVIEW
KARYA ILMIAH: JURNAL ILMIAH**

Judul Jurnal Ilmiah (Artikel) : Application of Early Diagnosis of Diabetes Mellitus (DM) Equipped with Calorie Needs for DM Sufferers Using The Fuzzy Mamdani Method

Penulis Artikel Ilmiah : Humaidillah Kurniadi Wardana, Imamatul Ummah, Lina Arifah Fitriyah

Identitas Jurnal Ilmiah

a. Nama Jurnal : Kinetik: Game Technology, Information System, Computer Network, Computing, Electronics, And Control

b. Volume Nomor Tahun : Volume 5 Nomor 4 Tahun 2020

c. Halaman : 271-276

d. Penerbit : Program Studi Teknik Informatika dan Teknik Elektro, Fakultas Teknik Universitas Muhammadiyah Malang

e. Jurnal Terindeks : Sinta 2

Kategori Publikasi : Jurnal Ilmiah Internasional Bereputasi
 Jurnal Ilmiah Internasional
 Jurnal Ilmiah Nasional Terakreditasi
 Jurnal Ilmiah Nasional Tidak Terakreditasi
 Jurnal Ilmiah Nasional Terindeks DOAJ, dll

I. Hasil Penilaian Validasi

No	Aspek	Uraian/Komentar Penilaian
1	Indikasi Plagiasi	Indeks plagiasi sebesar 18%.
2	Linearitas	Kajian artikel ini adalah bidang fisika.

II. Hasil Penilaian Peer Reviewer

No	Komponen yang dinilai	Nilai Maksimal Jurnal Ilmiah (isikan kolom yang sesuai)					Nilai Akhir yang Diperoleh
		Internasional Bereputasi	Internasional	Nasional Terakreditasi	Nasional Tidak Terakreditasi	Nasional Terindeks DOAJ, dll	
1	Kelengkapan unsur isi artikel (10%)			2,5			2,35
2	Ruang lingkup dan kedalaman pembahasan (30%)			7,5			7,35
3	Kecukupan dan kemutakhiran data/informasi dan metodologi (30%)			7,5			7,35
4	Kelengkapan unsur dan kualitas penerbit (30%)			7,5			7,45
Total = (100%)				25			24,5
Kontribusi Penulis: Penulis Utama / Anggota Utama		20% x 24,5 = 4,9.					

Komentar/Ulasan Peer Review		
1	Kelengkapan dan kesesuaian unsur	<ul style="list-style-type: none"> - Penyusunan artikel telah sesuai unsur yaitu abstrak, pendahuluan, metode penelitian, hasil dan pembahasan, kesimpulan, saran dan referensi. - Abstrak yang ditulis penulis telah sesuai yang menguraikan latar belakang, tujuan, metode, dan hasil penelitian. - Pencapaian tujuan dan penggunaan metode juga telah relevan yang menjelaskan tentang diagnosis dini diabetes mellitus (DM) dan kebutuhan kalori yang dibutuhkan bagi penderita DM dengan metode yang digunakan adalah aplikasi GUI dan mamdani.
2	Ruang lingkup dan kedalaman pembahasan	<ul style="list-style-type: none"> - Pendahuluan pada artikel telah dibahas dengan baik terdiri berisikan latar belakang, tujuan masalah dan diperkuat kajian yang relevan. - Hasil dan pembahasan telah dijabarkan dengan baik. Artikel membahas pembuatan aplikasi diagnosis dini penyakit DM agar terpenuhi kebutuhan kalori penderita DM dengan menggunakan metode fuzzy mamdani.
3	Kecukupan dan kemutakhiran data dan metodologi	<ul style="list-style-type: none"> - Pembuatan aplikasi GUI dan mamdani yang dikembangkan oleh penulis untuk menginput glukosa, dll untuk penderita diabetes dan normal serta kebutuhannya. - Aplikasi ini kemutakhiran alat dan data penelitian. - Daftar pustaka telah menggunakan rujukan 10 tahun terakhir.
4	Kelengkapan unsur dan kualitas penerbit	<ul style="list-style-type: none"> - Penerbit artikel adalah jurnal kinetik milik Fakultas Teknik Universitas Muhammadiyah Malang. - Jurnal terakreditasi sinta 2 - Artikel dipublikasikan pada Volume 5 Nomor 4 Tahun 2020. - Jumlah artikel yang terbit pada edisi ini yaitu 10 artikel.

Ambon,
Reviewer



Dhamas Mega Amarlita, S.Si, M.Pd

NIDN : 1227058101

Unit Kerja : Stikes Pasapua Ambon

Jabatan Fungsional : Lektor

Bidang Ilmu : Pendidikan Kimia

**LEMBAR
HASIL PENILAIAN SEJAWAT SEBIDANG ATAU PEER REVIEW
KARYA ILMIAH: JURNAL ILMIAH**

Judul Jurnal Ilmiah (Artikel) : Application of Early Diagnosis of Diabetes Mellitus (DM) Equipped with Calorie Needs for DM Sufferers Using The Fuzzy Mamdani Method

Penulis Artikel Ilmiah : Humaidillah Kurniadi Wardana, Imamatul Ummah, Lina Arifah Fitriyah

Identitas Jurnal Ilmiah

a. Nama Jurnal : Kinetik: Game Technology, Information System, Computer Network, Computing, Electronics, And Control

b. Volume Nomor Tahun : Volume 5 Nomor 4 Tahun 2020

c. Halaman : 271-276

d. Penerbit : Program Studi Teknik Informatika dan Teknik Elektro, Fakultas Teknik Universitas Muhammadiyah Malang

e. Jurnal Terindeks : Sinta 2

Kategori Publikasi : Jurnal Ilmiah Internasional Bereputasi
 Jurnal Ilmiah Internasional
 Jurnal Ilmiah Nasional Terakreditasi
 Jurnal Ilmiah Nasional Tidak Terakreditasi
 Jurnal Ilmiah Nasional Terindeks DOAJ, dll

I. Hasil Penilaian Validasi

No	Aspek	Uraian/Komentar Penilaian
1	Indikasi Plagiasi	Inskor plagiasi sebesar 18%
2	Linearitas	Topik kajian artikel termasuk bidang ilmu fisika.

II. Hasil Penilaian Peer Reviewer

No	Komponen yang dinilai	Nilai Maksimal Jurnal Ilmiah (isikan kolom yang sesuai)					Nilai Akhir yang Diperoleh
		Internasional Bereputasi	Internasional	Nasional Terakreditasi	Nasional Tidak Terakreditasi	Nasional Terindeks DOAJ, dll	
1	Kelengkapan unsur isi artikel (10%)			2,5			2,25
2	Ruang lingkup dan kedalaman pembahasan (30%)			7,5			7
3	Kecukupan dan kemutakhiran data/informasi dan metodologi (30%)			7,5			7
4	Kelengkapan unsur dan kualitas penerbit (30%)			7,5			7
Total = (100%)				25			23,25
Kontribusi Penulis: Penulis Utama / Anggota Utama		$20\% \times 23,25 = 4,65$					

Komentar/Ulasan Peer Review		
1	Kelengkapan dan kesesuaian unsur	<ul style="list-style-type: none"> - Tulisan dan sistematika artikel ini telah sesuai dengan panduan penyusunan karya ilmiah yang memuat abstrak, pendahuluan, metode penelitian, hasil & pembahasan, kesimpulan dan daftar pustaka. - Artikel menggunakan bahasa Inggris. - Abstrak telah memuat tujuan yang ingin dicapai, metode serta hasil yang diperoleh. - Ada relevansi antara ketercapaian tujuan penelitian dan metode penelitian yaitu mendiagnosis secara diri diabetes melitus (DM) dan kebutuhan kalori yang dibutuhkan untuk penderita DM. Metode yang digunakan dengan membuat sistem penggunaan aplikasi GUI dan mamdani.
2	Ruang lingkup dan kedalaman pembahasan	<ul style="list-style-type: none"> - Pendahuluan telah memuat latar belakang, kajian literatur terdahulu dan tujuan penelitian. Pendahuluan dijelaskan oleh penulis dengan baik dan mendalam. - Artikel ini menitikberatkan pada pembuatan aplikasi diagnosis diri penyakit DM agar terpenuhi kebutuhan kalori penderita DM dengan menggunakan metode fuzzy mamdani.
3	Kecukupan dan kemutakhiran data dan metodologi	<ul style="list-style-type: none"> - Aplikasi yang dibuat oleh penulis menggunakan beberapa sistem termasuk menginput glukosa, HbA1c untuk penderita diabetes dan normal, serta kebutuhan kalornya. Penggunaan aplikasi ini termasuk kemutakhiran alat. - Penggunaan kutipan dan daftar pustaka telah menggunakan referensi 10 tahun terakhir.
4	Kelengkapan unsur dan kualitas penerbit	<ul style="list-style-type: none"> - Artikel ini dipublikasikan pada jurnal Kinetik milik Fakultas Teknik Universitas Muhammadiyah Malang yang terakreditasi Sinta 2 pada Volume 5 Nomor 4 Tahun 2020. - Jumlah artikel yang terbit pada edisi ini yaitu 10 artikel. - Tim editor Jurnal Kinetik yaitu Editor in Chief dan Editorial Board yang terdiri dari berbagai editor kampus dalam negeri dan kampus luar negeri.

Malang,
Reviewer



Febi Dwi Widayanti, S.Pd, M.Pd

NIDN : 0707028401

Unit Kerja : Universitas Wisnuwardhana Malang

Jabatan Fungsional : Lektor

Bidang Ilmu : Pendidikan Kimia

Bukti Jurnal Kinetik: Game Technology, Information System, Computer Network, Computing, Electronics, And Control

The screenshot shows the SINTA website interface. At the top, there's a navigation bar with 'SINTA' logo and links for Author, Subjects, Affiliations, Sources, FAQ, WCU, Registration, and Login. A search bar contains 'kinetik' and shows 'Results for "kinetik"'. Below the search bar, there are navigation buttons for 'Previous', '1', and 'Next', and a page indicator 'Page 1 of 1 | Total Records 1'. The main content area features a large card for 'KINETIK : GAME TECHNOLOGY, INFORMATION SYSTEM, COMPUTER NETWORK, COMPUTING, ELECTRONICS, AND CONTROL'. This card includes the journal's logo (a green 'K' in a circle), its full title, and various metrics: 2,28 Impact, 14 H5-index, 917 Citations 5yr, and 920 Citations. It also lists affiliations like 'Program Studi Teknik Informatika dan Teknik Elektro, Fakultas Teknik Universitas Muhammadiyah Malang' and accreditation status 'S2 Accredited' and 'Garuda Indexed'. To the right, a 'Top Journals' sidebar lists other journals by impact, such as 'Jurnal Pendidikan Bahasa ... (S4) : 138.333' and 'Jurnal Akuntansi dan Auditing (S3) : 78'.

Bukti Jurnal Kinetik Terakreditasi Sinta 2

The screenshot displays the ARJUNA website's accreditation page for the journal 'Kinetik'. The page header includes 'AKREDITASI JURNAL NASIONAL ARJUNA' and navigation links for BERANDA, PROFIL, and LOGIN. The main content is divided into several sections. On the left, a search bar shows 'kinetik' and a list of search results for 'Kinetika' and 'Kinetik : Game Technology, Information System, Computer Network, Computing, Electronics, and Control'. The central section features the journal's logo and detailed information: 'Nama Jurnal: Kinetik : Game Technology, Information System, Computer Network, Computing, Electronics, and Control', 'eISSN: 25032267', 'pISSN: 25032259', and 'Penerbit: -'. Below this, there are links for 'Website', 'URL Journal', 'URL Editor', and 'URL Editor'. The right section, titled 'Riwayat Akreditasi', contains a bar chart showing the journal's accreditation score over time. A yellow bar indicates a score of 73.5 for the period '11 April 2019 - Peringkat 2 - Periode 1 - Tahun - 2019'. Below the chart, the 'Progress Akreditasi Terakhir' section shows two accreditation milestones: '11 Apr 2019 PENETAPAN AKREDITASI' and '27 Aug 2019 SK AKREDITASI'. At the bottom, there are details about the accreditation process, including the 'No. Surat Keterangan: 10/EK/P7/2019' and the 'Judul Surat Keterangan: Keputusan Dajen Rerbang tentang Peringkat Akreditasi Jurnal Imiah Periode II Tahun 2019'.

Editorial Team Jurnal Kinetik

Pemimpin Redaksi



Amrul Faruq, M.Eng
Universitas Muhammadiyah Malang, Indonesia

[Profil Sinta](#)

[Profil Google Cendekia](#)

[Scopus](#) [Profil Scopus](#)

Dewan Redaksi



Agus Eko Minarno
Universitas Muhammadiyah Malang, Indonesia

[Profil Sinta](#)

[Profil Google Cendekia](#)

[Scopus](#) [Profil Scopus](#)



Hanung Adi Nugroho, Ph.D
Universitas Gadjah Mada, Indonesia

[Sinta](#)

[Profil Google Cendekia](#)

[Scopus](#) [Profil Scopus](#)



Prof. Roman Voliansky
Universitas Teknik Negeri Dniprovsky, Ukraina

[Profil Google Cendekia](#) [Scopus](#) [Profil Scopus](#)



Prof. Robert Lis
Universitas Sains dan Teknologi Wroclow, Polandia

[Scopus](#) [Profil Scopus](#)



Prof Taufik
Universitas Negeri Politeknik California, Amerika Serikat

[Profil Google Cendekia](#) [Scopus](#) [Profil Scopus](#)



Zulfatman Ph.D
Universitas Muhammadiyah Malang, Indonesia

[Profil Sinta](#) [Profil Google Cendekia](#) [Scopus](#) [Profil Scopus](#)



Kavitha Muthusubash, Ph.D
Universitas Hiroshima, Jepang

[Profil Google Cendekia](#)



Dr Ismail Khalil Ibrahim
Universitas Johannes Kepler Linz, Austria

[Scopus](#) [Profil Scopus](#)



Dr Eng Tresna Dewi
Politeknik Negeri Sriwijaya, Indonesia

[Profil Sinta](#) [Profil Google Cendekia](#) [Scopus](#) [Profil Scopus](#)



Dr. Muhammad Haikal Satria
Universiti Teknologi Malaysia

[Profil Google Cendekia](#) [Scopus](#) [Profil Scopus](#)



Rozaimi Ghazali, Ph.D
Universiti Teknikal Malaysia Malaka, Malaysia

[Profil Google Cendekia](#) [Scopus](#) [Profil Scopus](#)



Munawar Agus Riyadi, Ph.D
Universitas Diponegoro, Indonesia

[Profil Sinta](#) [Profil Google Cendekia](#) [Scopus](#) [Profil Scopus](#)



Deris Stiawan, Ph.D
Universitas Sriwijaya, Indonesia

[Profil Sinta](#) [Profil Google Cendekia](#) [Scopus](#) [Profil Scopus](#)



Tole Sutikno, Ph.D
Universitas Ahmad Dahlan, Indonesia

[Profil Sinta](#) [Profil Google Cendekia](#) [Scopus](#) [Profil Scopus](#)



Dr Evizal Abdul Kadir
Universitas Islam Riau, Indonesia

Profil Google Cendekia

Scopus[®] Profil Scopus



Wahyu Andhyka Kusuma, M.Kom
Universitas Muhammadiyah Malang, Indonesia

Profil Sinta

Profil Google Cendekia

Scopus[®] Profil Scopus

Editor Tata Letak



Adhitya Dio Waskito
Universitas Muhammadiyah Malang, Indonesia

Bukti Tampilan Publikasi Artikel Vol. 5 No. 4 Tahun 2020

<https://kinetik.umm.ac.id/index.php/kinetik/issue/view/19>

The screenshot displays the journal's website interface. At the top, there are navigation links for 'Home', 'Archives', and 'Vol. 5, No. 4, November 2020'. The main content area lists several articles with their titles, publication dates, and authors. On the right side, there are several utility boxes including 'Make a Submission', 'KINETIK TEMPLATE', 'Quick Link' (with links for Author Guidelines, Download Manuscript Template, Peer Review Process, Editorial Board, Reviewer Acknowledgment, Aim and Scope, and Publication Ethics), 'Author Fees', 'Indexing and Abstracting', 'Scopus Citation Analysis', 'Statistic', and 'Article Withdrawal'. At the bottom right, there is a section for 'Indexed in' with logos for SINTA, Crossref, Google, ISI/PISN, GARUDA, and BASE/ROAD.

Home / Archives / Vol. 5, No. 4, November 2020

DOI: <https://doi.org/10.22219/kinetik.v5i4>
Published: Nov 30, 2020

KINETIK
Jurnal Ilmiah, Kejuruan, dan Pengabdian Masyarakat
Volume 5 No. 4, November 2020

Articles

XGBoost and Network Analysis for Prediction of Proteins Affecting Insulin based on Protein Protein Interactions
Nov 22, 2020
p. 253-262
Mohammad Hamim Zajuli Al Faroby, Mohammad Isa Irawan, Ni Nyoman Tri Puspaningsih

Cyber Security Analysis of Academic Services based on Domain Delivery Services and Support using Indonesian E-Government Ratings (PEGI)
Nov 22, 2020
p. 263-270
Imam Riadi, Iwan Tri Riyadi Yanto, Eko Handoyo

Application of Early Diagnosis of Diabetes Mellitus (DM) Equipped with Calorie Needs for DM Sufferers using the Fuzzy Mamdani Method
Nov 22, 2020
p. 271-276
Humaidillah Kurniadi Wardana, Imamatul Ummah, Lina Arifah Fitriyah

Hopscotch Game to Support Stimulus in Children's Gross Motor Skill using IoT
Nov 22, 2020
p. 277-290
Riyan Kuncoro Jati, Novian Anggis Suwastika, Rahmat Yasirandi

AS-RaD System as a Design Model of the Network Automation Configuration System Based on the REST-API and Django Framework
Nov 22, 2020
p. 291-298
Adian Fatchur Rochim, Abda Rafi, Adnan Fauzi, Kurniawan Teguh Martono

Towards an Effective Tuberculosis Surveillance in Indonesia through Google Trends
Nov 22, 2020
p. 299-308
Dhomas Hatto Fudholi, Khairul Fikri

Mental Disorder Detection via Social Media Mining using Deep Learning
Nov 22, 2020
p. 309-316
Binti Kholifah, Iwan Syarif, Tessa Badriyah

Register Login

Make a Submission

KINETIK TEMPLATE

Quick Link

Author Guidelines
Download Manuscript Template
Peer Review Process
Editorial Board
Reviewer Acknowledgment
Aim and Scope
Publication Ethics

Author Fees
Indexing and Abstracting
Scopus Citation Analysis
Statistic
Article Withdrawal

Indexed in

SINTA
Crossref
Google
ISI/PISN
GARUDA
BASE
ROAD

Attention-based CNN-BiLSTM for Dialect Identification on Javanese Text

Nov 22, 2020

317-324

Ahmad Fathan Hidayatullah, Sivi Cahyaningtyas, Rhoza Daffa Pamungkas



ANP and ELECTRE Methods for Determine New Student Admissions

Nov 22, 2020

325-334

Yeni Kustiyaningsih, Mochammad Kautsar Sophan, Achmad Faris Ikhson



A Fuzzy Logic-Based Automation toward Intelligent Air Conditioning Systems

Nov 22, 2020

335-344


Gunawan Dawantoro, Benedictus Edwin Nugraha, Fransiscus Dalu Sotiaji



Bukti Tampilan Judul dan Abstrak

<https://kinetik.umm.ac.id/index.php/kinetik/article/view/1088>

Home / Archives / Vol. 5, No. 4, November 2020 / Articles



Issue

Vol. 5, No. 4, November 2020

Issue Published : Nov 30, 2020

Application of Early Diagnosis of Diabetes Mellitus (DM) Equipped with Calorie Needs for DM Sufferers using the Fuzzy Mamdani Method

<https://doi.org/10.22219/kinetik.v5i4.1088> Check for updates


Humaidillah Kurniadi Wardana
Universitas Hasyim Asy'ari Tebuireng, Jombang

Imamatul Ummah
Universitas Hasyim Asy'ari Tebuireng, Jombang

Lina Arifah Fitriyah
Universitas Hasyim Asy'ari Tebuireng, Jombang


Corresponding Author(s) : Humaidillah Kurniadi Wardana
bhindere.ad3@gmail.com

Kinetik: Game Technology, Information System, Computer Network, Computing, Electronics, and Control Vol. 5, No. 4, November 2020
Article Published : Nov 22, 2020




0 Total citations
0 Recent citations
0 Field Citation Ratio
n/a Relative Citation Ratio

Download this PDF file

 PDF

Statistic

Read Counter : 341 Download : 144



Abstract Cite References Authors Details

Abstract

Diabetes Mellitus (DM) is one of the deadliest degenerative diseases in the world. The prevalence of DM in Indonesia from year to year shows a significant increase. The high number of these causes the need for appropriate action and anticipation for health workers, DM families and DM people themselves. In this study, a system application model was created by using informatics techniques in health for early diagnosis of DM and what calorie needs needed for DM sufferers. This system was created using a GUI application and the Mamdani fuzzy method. The purpose of creating this system is to help in making an initial decision for DM diagnosis. The results obtained, first a DM diagnosis system with 6 input variables, 3 output variables, and 155 rules with MAPE achieved 29.48%. The second is the calorie requirements system with 2 input variables, 2 output variables namely BMI with MAPE 10.57% BMR with MAPE 9.7% and 9 rules with the results achieved by 99%.

Keywords

Diabetes Mellitus Calorie Fuzzy Mamdani GUI

Hasil Plagiasi Artikel

SJI
 by Ppj Unhasy

Submission date: 08-Oct-2019 02:51PM (UTC+0700)
Submission ID: 1188475632
File name: Revisi_SJI_November_2019.docx (813.26K)
Word count: 1298
Character count: 6457

Scientific Journal of Informatics
 Vol., No., November 2019

p-ISSN 2407-7658 http://journal.unnes.ac.id/mju/index.php/sji e-ISSN 2460-0040

Application of Early Diagnosis of Diabetes Mellitus (DM) Equipped with Calorie Needs for DM Sufferers Using the Fuzzy Mamdani Method

Humaidillah Kurniadi Wardana¹, Imamatul Ummah², Lina Arifah Fitriyah³

^{1,2}Electrical Engineering Department, Faculty of Engineering, Universitas Hasyim Asy'ari, Jombang, Indonesia
³Natural Science Department, Faculty of Science Education, Universitas Hasyim Asy'ari, Jombang, Indonesia
 Email: ¹bhindere.ad3@gmail.com, ²ima_ummah@yahoo.co.id, ³lma_arifah@yahoo.co.id

Abstract

Diabetes Mellitus (DM) is one of the deadliest degenerative diseases in the world. The prevalence of DM in Indonesia from year to year shows a significant increase. The high number of these causes the need for appropriate action and anticipation for health workers, DM families and DM people themselves. In this study, a system application model was created by using informatics techniques in health for early diagnosis of DM and what calorie needs needed for DM sufferers. This system was created using a GUI application and the Mamdani fuzzy method. The purpose of creating this system is to help in making an initial decision for DM diagnosis.

Keywords: Diabetes Mellitus, Calorie, Fuzzy Mamdani, GUI

1. INTRODUCTION

Diabetes Mellitus (DM), also known as diabetes, is a group of metabolic diseases characterized by hyperglycemia, which is an increase in blood glucose levels that exceeds normal limits [1], [2]. Hyperglycemia occurs because the pancreas does not produce beta cells that produce both absolute and relative insulin hormones in which play a role in glucose metabolism in body cells [3], [4]. There are two types of diabetes that often occur in a person, namely diabetes of type I or known as Insulin Dependent Diabetes Mellitus (IDDM) which is a type of diabetes that depends on insulin and diabetes of type II or known as Non Insulin Dependent Diabetes Mellitus (NIDDM) which is diabetes that does not depend on insulin [5].

According to the WHO (World Health Organization), the number of people with DM in Indonesia are predicted to get an increase. WHO predicts the increase of the number of DM sufferers in Indonesia from 8.4 million in 2000 to 21.3 million in 2030. The 2013 Basic Health Research reported that DM sufferers in Indonesia was 6.9%. There was an increase for about 8.5% in 2018[6]. These data show that the number of people with DM in Indonesia is very many. DM is one of the most dangerous diseases in the world of health because this disease will be carried for a

1

SJI

ORIGINALITY REPORT

18%	11%	13%	%
SIMILARITY INDEX	INTERNET SOURCES	PUBLICATIONS	STUDENT PAPERS

PRIMARY SOURCES

1	journal.unnes.ac.id Internet Source	3%
2	Ari Andriyas Puji, Agus Mansur, Imam Djati Widodo. "Analysis of supply chain risk mitigation integrated with fuzzy logic, house of risk and AHP (Case study at CV. Multiguna)", AIP Publishing, 2019 Publication	2%
3	Sara Nasr, Oleg German. "Assessment of Graduate Students' Resumes Using Short Text Searching Method", 2019 IEEE Second International Conference on Artificial Intelligence and Knowledge Engineering (AIKE), 2019 Publication	2%
4	Humaidillah Kurniadi Wardana, Elly Indahwati, Lina Arifah Fitriyah. "Measurement of Non-Invasive Blood Glucose Level Based Sensor Color TCS3200 and Arduino", IOP Conference Series: Materials Science and Engineering, 2018 Publication	1%

5	ijbs-udayana.org Internet Source	1%
6	www.stikes-bth.ac.id Internet Source	1%
7	www.livestrong.com Internet Source	1%
8	Rebecca L. Murray, Neal A. Schaffel, John W. Geiger, Calvin L. Long, William S. Blakemore. "Body Composition Changes in the Critically Ill Patient: Emphasis on Water Balance", Journal of Parenteral and Enteral Nutrition, 2016 Publication	1%
9	journals.sagepub.com Internet Source	1%
10	washingtondconline.net Internet Source	1%
11	gentlecare.blogspot.com Internet Source	1%
12	AUGUST KROGH. "Determination of Standard (Basal) Metabolism of Patients by a Recording Apparatus", Boston Medical and Surgical Journal, 08/30/1923 Publication	1%
13	I N Faridah, D A Perwitasari, M Pusfita, H Jasman. "Relationship between emotional distress and quality of life on type 2 diabetes	1%

mellitus patients in Meranti island regency hospital", IOP Conference Series: Materials Science and Engineering, 2017

Publication

14 [issuu.com](#) 1%

Internet Source

15 Yana Aditia Gerhana, Wildan Budiawan <1%

Zulfikar, Yuga Nurrokhman, Cepy Slamet, Muhammad Ali Ramdhani. "Decision support system for football player's position with tsukamoto fuzzy inference system", MATEC Web of Conferences, 2018

Publication

Exclude quotes On Exclude matches Off
Exclude bibliography Off



Application of early diagnosis of diabetes mellitus (DM) equipped with calorie needs for DM sufferers using the fuzzy Mamdani method

Humaidillah Kurniadi Wardana^{*1}, Imamatul Ummah², Lina Arifah Fitriyah³

Electrical Engineering Department, Universitas Hasyim Asy'ari Tebuireng Jombang, Indonesia^{1,2}

Natural Science Department, Universitas Hasyim Asy'ari Tebuireng Jombang, Indonesia³

Article Info

Keywords:

Diabetes Mellitus, Calorie, Fuzzy Mamdani, GUI

Article history:

Received 06 June 2020

Accepted 25 August 2020

Published 30 November 2020

Cite:

Wardana, H., Ummah, I., & Fitriyah, L. (2020). Application of early diagnosis of diabetes mellitus (DM) equipped with calorie needs for DM sufferers using the fuzzy Mamdani method. *Kinetik: Game Technology, Information System, Computer Network, Computing, Electronics, and Control*, 5(4). doi:<https://doi.org/10.22219/kinetik.v5i4.1088>

*Corresponding author.

Humaidillah Kurniadi Wardana

E-mail address:

bhindere.adi3@gmail.com

Abstract

Diabetes Mellitus (DM) is one of the deadliest degenerative diseases in the world. The prevalence of DM in Indonesia from year to year shows a significant increase. The high number of these causes the need for appropriate action and anticipation for health workers, DM families and DM people themselves. In this study, a system application model was created by using informatics techniques in health for early diagnosis of DM and what calorie needs needed for DM sufferers. This system was created using a GUI application and the Mamdani fuzzy method. The purpose of creating this system is to help in making an initial decision for DM diagnosis. The results obtained, first a DM diagnosis system with 6 input variables, 3 output variables, and 155 rules with MAPE achieved 29.48%. The second is the calorie requirements system with 2 input variables, 2 output variables namely BMI with MAPE 10.57% BMR with MAPE 9.7% and 9 rules with the results achieved by 99%.

1. Introduction

Diabetes Mellitus (DM), also known as diabetes, is a group of metabolic diseases characterized by hyperglycemia, which is an increase in blood glucose levels that exceeds normal limits [1][2]. Hyperglycemia occurs because the pancreas does not produce beta cells that produce both absolute and relative insulin hormones in which play a role in glucose metabolism in body cells [3][4]. There are two types of diabetes that often occur in a person, namely diabetes of type I or known as Insulin Dependent Diabetes Mellitus (IDDM) which is a type of diabetes that depends on insulin and diabetes of type II or known as Non Insulin Dependent Diabetes Mellitus (NIDDM) which is diabetes that does not depend on insulin [5].

According to the WHO (World Health Organization), the number of people with DM in Indonesia are predicted to get an increase. WHO predicts the increase of the number of DM sufferers in Indonesia from 8.4 million in 2000 to 21.3 million in 2030. The 2013 Basic Health Research reported that DM sufferers in Indonesia was 6.9%. There was an increase for about 8.5% in 2018 [6]. These data show that the number of people with DM in Indonesia is very many. DM is one of the most dangerous diseases in the world of health because this disease will be carried for a lifetime for sufferers and there is still no cure for it. DM treatment is used only to control or control blood sugar levels in order to remain normal.

Controlling blood sugar levels is the same as maintaining a diet. Maintaining a healthy diet is highly recommended for people with DM [7][8]. Eating patterns are maintained and regulated by taking into account the daily calorie needs that the body needs [9][10][11] so as to reduce the risk of DM [12]. Calorie requirements are adjusted to the amount of carbohydrates, proteins, fats, vitamins, and minerals based on the types of DM diets recommended [13]. Besides calorie requirements associated with a person's energy needs to perform daily activities that are influenced by gender, age, activity (work), and body condition of someone [14].

The development of science and technology, especially computers in the field of expert systems, can be utilized by the world of health to make easier in making decision quickly and appropriately [15]. Expert systems can be easily implemented in fuzzy logic. The foundation of fuzzy logic is fuzzy set theory. It is very important to use Fuzzy set theory of membership degree as a determinant of the existence of elements in a set. The value of membership or the degree of membership or membership function becomes the main characteristic of reasoning with the fuzzy logic [16].

Previous studies that have been carried out by utilizing the fuzzy system are such as using the Sugeno system in determining the level of risk of DM with 8 input variables [17], diagnosis of DM using the Mamdani and Sugeno method [18], using the Mamdani method for the detection of DM disease with 3 input variables [19], prediction and

classification of DM by using application of adaptive neuro [20], determining the type of DM using the Sugeno method with 3 input variables [21]. Based on the descriptions above, this study created an early diagnosis application of DM completed by the calorie needs needed by DM sufferers by implementing the Mamdani fuzzy logic method.

2. Research Method

The application of early diagnosis of DM and calorie needs for sufferers uses a fuzzy inference system based on the Mamdani method. The diagnosis process in this expert system is based on laboratory results at Jombang District Hospital. Input or input from the following system are:

- a. Patients' identity consisting of name, gender, age, height, weight.
- b. Data of Laboratory results comprising of: systole, diastole, glucose, total cholesterol, HDL levels, LDL levels, triglyceride levels.

Calculation of the number of calories needed for diabetics is also related to Body Mass Index (BMI) which is calculated using the BMI formula is shown in Equation 1 [22][23][24].

$$BMI = \frac{W(Kg)}{(H(m) \times H(m))} \tag{1}$$

Where BMI = Body Mass Index, W= Weight in meters, H = Height in meters.

The BMR formula according to Harris and Benedict is distinguished between men and women using Equation 2 and Equation 3.

$$BMR\ Men = 66,473 + 13,752 W + 5,003S - 6,755 A \tag{2}$$

$$BMR\ Women = 65,5096 + 9,563 W + 1,850S - 4,676 A \tag{3}$$

Where H= Heat production in 24 hours (calories), W= Weight (kg), S= Height (cm), A= Age (years).

The model used in the implementation of application of early diagnosis of the DM disease is the fuzzy logic model with the Mamdani method. Figure 1 below shows the steps used in the Mamdani method.




Figure 1. Flowchart of Fuzzy Mamdani Method

3. Results and Discussion

The application made in this study consists of four menus, namely; home, program, info and exit. The display of home menu is shown in the Figure 2 below.




Figure 2. Menu of Home

While the program menu contains the main program of the application as shown in the Figure 3, consisting of 3 parts, such as diagnostic results, fuzzy rule view and types of DM diits. The diagnosis results consist of:

- a. Calculating BMI using the formula (1) with input of weight and height.
- b. Diagnosing normal, prediabetes or diabetes using FIS Mamdani with input of systole, diastole, at time glucose, total cholesterol, HDL levels, LDL levels, triglyceride levels.
- c. Calculating BMR using the formula (2), (3) with input of age, height and weight.




Figure 3. Menu of Program

The fuzzy rule view has two buttons. The first button displays the diagnosis of normal, prediabetes or diabetes as shown in the Figure 4. The second button displays the calculation of BMI and BMR using fuzzy input of weight and height, as shown in the Figure 5 and Figure 6.




Figure 4. Rule View of DM Diagnose




Figure 5. Rule View of BMI and BMR

The info menu shows how to diet for DM sufferers in general, as shown in the Figure 6.




Figure 6. Menu of Info

The DM diagnosis system consisted of 6 input variables: blood pressure, glucose time, total cholesterol, HDL, LDL, triacylglycerides and 3 output variables: normal, prediabetes, and diabetes by producing 155 rules with a MAPE of 29,48. The calorie need system comprised of 2 input variables: body weight and height, and 2 output variables: BMI with MAPE of 10,57% and BMR of MAPE of 9,7% by producing 9 rules with the results achieved by 99%. For example, if a male, in age of 31, height of 1.5 m, body weight of 50 kg, blood pressure of 140/90 mmHg, at time glucose of 207, total cholesterol at 203, HDL of 44, LDL of 140 and triglyceria at 94 then the results of IMT shows normal, diagnose of diabetes and BMR needed is 1295.19 calories. It can be said that it includes the DM diets of type II needed 1300 calories that are divided into 192 g of carbohydrate, 45 g of protein and 35 g of fat, as shown in the Figure 7.




Figure 7. Example of The Program Being Run

4. Conclusion

This research designed and made an application of early diagnosis of DM disease completed with calorie needs for DM sufferers using the Mamdani fuzzy method. The system created used the GUI application consisting of 2 systems. The first system is to diagnoses DM with 7 inputs consisting of systole, diastole, glucose, total cholesterol, HDL, LDL and triglyceria as well as 3 outputs namely diabetes, prediabet, normal. The second system aims to determine the calorie needs for DM sufferers with 2 inputs consisting of body weight and height and 2 outputs, namely BMI and BMR.

Acknowledgement

A bunch of thanks is for the funding of this research provided by DRPM of the Ministry of Research and Technology through the Research for Beginners (PDP) in 2019 and Jombang District Hospital as a partner in getting samples and research data.

References

- [1] S. A. Soelistijo *et al.*, *Konsensus Pengendalian dan Pencegahan Diabetes Mellitus Tipe 2 di Indonesia 2015*. 2015.
- [2] R. Fajrunni'mah, D. Lestari, and A. Purwanti, "Faktor Pendukung dan Penghambat Penderita Diabetes Mellitus dalam Melakukan Pemeriksaan Glukosa Darah," *Glob. Med. Heal. Commun.*, vol. 5, no. 3, pp. 174, 2017. <https://doi.org/10.29313/gmhc.v5i3.2181>
- [3] I. Huang, "Universitas Pelita Harapan 48 Case Report Patofisiologi dan Diagnosis Penurunan Kesadaran pada Penderita Diabetes Mellitus," *Medicinus*, vol. 5, no. 2, pp. 48–57, 2016. <http://dx.doi.org/10.19166/med.v5i2.1169>
- [4] I. W. Himawan, A. B. Pulungan, B. Tridjaja, and J. R. L. Batubara, "Komplikasi Jangka Pendek dan Jangka Panjang Diabetes Mellitus Tipe 1," *Sari Pediatri*, vol. 10, no. 6, pp. 367, 2016. <https://dx.doi.org/10.14238/sp10.6.2009.367-72>
- [5] M. J. Gibney, S. A. Lanham-New, A. Cassidy, and H. H. Vorster, *Human Nutrition*, Second. 2009.
- [6] Riskesdas, *Hasil Riset Kesehatan Dasar*. 2013.
- [7] G. Willa, K. Nim, E. Fatma, and A. Nim, "Diabetes Mellitus Menggunakan Metode Fuzzy Inference System (FIS) TSUKAMOTO Kelompok B Kelas F," *Skripsi*, no. Nim 115090600111029, 2014.
- [8] N. Douali, J. Dollon, and M. C. Jaulent, "Personalized prediction of gestational Diabetes using a clinical decision support system," in *IEEE International Conference on Fuzzy Systems*, 2015, vol. 2015-Novem. <https://doi.org/10.1109/FUZZ-IEEE.2015.7337813>
- [9] A. Tjokprawiro, "Garis Besar Pola Makan dan Pola Hidup sebagai Pendukung Terapi Diabetes Mellitus," *Plenary Lecture*, pp. 11–13, 2012.
- [10] P. Velvizhy, Pavithra, and A. Kannan, "Automatic food recognition system for diabetic patients," in *6th International Conference on Advanced Computing, ICoAC 2014*, 2015, pp. 329–334. <https://doi.org/10.1109/ICoAC.2014.7229735>
- [11] C. Chin, R. Lin, and S. Liu, "Personal Healthy Diet and Calorie Monitoring System using Fuzzy Inference in Smart Phones," pp. 49–60, 2013.
- [12] W. R. S. Emmanuel and S. J. Minija, "Fuzzy clustering and Whale-based neural network to food recognition and calorie estimation for daily dietary assessment," *Sadhana - Acad. Proc. Eng. Sci.*, vol. 43, no. 5, 2018. <https://doi.org/10.1007/s12046-018-0865-3>
- [13] B. Irawan#1 and S. Achmady#2, "Pola Diet pada Penderita Diabetes Mellitus Menggunakan Metode Fuzzy Inferensi Sistem," *Semin. Nas. Literasi Sist. USU*, no. 77, pp. 381–384, 2014.
- [14] P. Pouladzadeh, S. Shirmohammadi, and R. Al-Maghrabi, "Measuring calorie and nutrition from food image," *IEEE Trans. Instrum. Meas.*, vol. 63, no. 8, pp. 1947–1956, 2014. <https://doi.org/10.1109/TIM.2014.2303533>
- [15] S. T. Suyanto and M. Sc, "Artificial Intelligence: Searching, Reasoning, Planning, dan Learning," *Inform. Bandung, Indones.*, pp. 2011, 2007.
- [16] S. Kusumadewi and H. Purnomo, *Aplikasi Logika Fuzzy untuk Pendukung Keputusan*, 2nd ed. Yogyakarta: Graha Ilmu, 2010.
- [17] H. Huzaimah, S. Musdalifah, A. Hendra, and I. W. Sudarsana, "Penentuan Tingkat Resiko Penyakit Diabetes Mellitus Dengan Metode Sugeno di RSUD UNDATA Provinsi Sulawesi Tengah," *J. Ilm. Mat. DAN Terap.*, vol. 9, no. 1, 2016.
- [18] J. Singla, "Comparative study of Mamdani-type and Sugeno-type fuzzy inference systems for diagnosis of diabetes," in *Conference Proceeding - 2015 International Conference on Advances in Computer Engineering and Applications, ICACEA 2015*, 2015, pp. 517–522. <https://doi.org/10.1109/ICACEA.2015.7164799>
- [19] S. Riyadhi, "Uji Coba Metode Mamdani Untuk Deteksi Penyakit Diabetes Di Rsd Dr. H. Soemarno Sosroatmojo Kuala Kapuas," *Pascasarj. Tek. Inform. Univ. Dian Nuswantoro*, vol. 10, pp. 228–239, 2014.
- [20] O. Geman, I. Chiuchisan, and R. Toderean, "Application of Adaptive Neuro-Fuzzy Inference System for diabetes classification and prediction," in *2017 E-Health and Bioengineering Conference, EHB 2017*, 2017, pp. 639–642. <https://doi.org/10.1109/EHB.2017.7995505>
- [21] R. Adrial, "Fuzzy Logic Modeling Metode Sugeno Pada Penentuan Tipe Diabetes Mellitus Menggunakan MATLAB," *J. Ilm. Inform.*, vol. 6, no. 01, pp. 62, 2018. <https://doi.org/10.33884/jif.v6i01.423>
- [22] R. A. Priyono and K. Surendro, "Nutritional Needs Recommendation based on Fuzzy Logic," *Procedia Technol.*, vol. 11, pp. 1244–1251, 2013. <https://doi.org/10.1016/j.protcy.2013.12.320>
- [23] M. Mamat, S. K. Deraman, N. M. M. Noor, and N. F. Zulkifli, "Relationship between body mass index and healthy food with a balanced diet," *Appl. Math. Sci.*, vol. 7, no. 1–4, pp. 153–159, 2013.
- [24] M. A. Hussain *et al.*, "Income Based Food List Recommendation for Rural People Using Fuzzy Logic," in *Proceedings - 17th IEEE/ACIS International Conference on Computer and Information Science, ICIS 2018*, 2018, pp. 116–121. <https://doi.org/10.1109/ICIS.2018.8466403>